

Rm. 14, 7/F, Worldwide Industrial Centre, 43 - 47, NEK Chemicals Ltd.Shan Mei Street, Fo Tan, Shatin, N.T. Hong Kong
Tel: +852 34282669Fax: +852 37475550E-mail: info@nek.com.hkWeb: www.nek.com.hk Shan Mei Street, Fo Tan, Shatin, N.T. Hong Kong

MATERIAL SAFETY DATA SHEET

1. Product Identification

Trade Name: Diazin Product Name: Diazinon 60% Emulsifiable concentrate

2. Hazardous Components and Composition

Diazinon	60%
Solvent	28%
Related impurities	2%

3. Typical Physical and Chemical Properties

Appearance	:	Yellow liquid
Odor	:	Solvent / mercaptan like smell
Specific gravity	:	0.9g/cc
Flash point	:	>23°C
Solubility in water	:	dispersible in water

4. Health Effects and Toxicity Data

Toxicological Data of active ingredient:

Oral LD₅₀ (rat): 300-400mg/kg Dermal LD₅₀ (rat): 3600mg/kg Inhalation LC₅₀ (rat) : 3.5mg/l air (4hour – no death)

Oral toxicity:

Toxic

Dermal toxicity:

Non-Toxic

The information herein is given in good faith but no warranty is expressed or implied.

NEK Chemicals Ltd.

Rm. 14, 7/F, Worldwide Industrial Centre, 43 - 47, Shan Mei Street, Fo Tan, Shatin, N.T. Hong Kong Fax: +852 37475550 Web: www.nek.com.hk

Inhalation toxicity:

Toxic

Skin irritation:

cause skin irritation

Eye irritation:

cause eye irritation

5. First Aid Procedure

Eye contact:

Rinse eyes with large amount of water until irritation subsides. If irritation persists, get medical attention.

Skin contact:

Flush with large amount of water; wash out with soap or detergent to if available.

Remove grossly contaminated clothing, including shoes, and launder before reuse.

Inhalation:

Wearing proper respiratory protection before rescues. Immediately remove the affected victim from exposure to an area of fresh air. Administer artificial respiration if breathing is stopped. Keep at rest. Call for prompt medical attention.

Ingestion:

If swallowed, DO NOT induces vomiting. Keep at rest. Get prompt medical attention

Antidote:

Atropine

6. Fire and Explosion Hazard

Fire and explosion hazard:

Liquid can burn upon heating to temperature at or above the flash point.

`Empty' containers retain product residue (liquid and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, spark, static electricity, or other sources of ignition; they may explode and cause injury or death.

Firefighting media:

Foam, dry chemical or water spray to extinguish fire

歷住化工有限公司 Bm 14 7/E Worldwide Industrial Centre 43 - 47 NEK Chemicals Ltd. Shan Mei Street, Fo Tan, Shatin, N.T. Hong Kong Tel: +852 34282669 E-mail: info@nek.com.hk Web: www.nek.com.hk

Rm. 14, 7/F, Worldwide Industrial Centre, 43 - 47, Shan Mei Street, Fo Tan, Shatin, N.T. Hong Kong

Firefighting precaution:

Prevent contaminated liquid from entering sewers watercourses, or low area.

7. Stability Reactivity

Chemical Stability:

Chemically Stable

Conditions to Avoid:

Avoid from heat and ignition source

Incompatibilities:

Avoid mixing with nitric acid, sulfuric acid ands strong oxidizing agent.

Decomposition:

N/A

Polymerization:

This product should not occur any hazardous polymerization

8. Spill and Leak Control Procedure

Eliminate source of ignition .Wearing suitable protective equipment before handling to spills.. Prevent additional discharge of material, if possible to do so without hazard. Prevent liquid from entering sewers, watercourse or low area. For spills in public area, keep public away and advise local authorities.

Control procedure:

- Contain spilled liquid with sand or earth •
- Recover by pumping or with a suitable absorbent.
- Consult an expert on disposal of recovered material and ensure conformity to local ٠ disposal regulations.

9. Protective Equipment

For open system where contact is likely, wear safety glasses with side shields, long sleeves, and chemical resistant gloves. NIOSH/MSHA approved respirators may be necessary to



Rm. 14, 7/F, Worldwide Industrial Centre, 43 - 47, Shan Mei Street, Fo Tan, Shatin, N.T. Hong Kong Fax: +852 37475550 Web: www.nek.com.hk

prevent overexposure by inhalation. The use of local exhaust ventilation is recommended to control process emission near the source.

10. Storage and Transportation

Storage:

- Use proper grounding procedure to avoid electrostatic accumulation •
- Cool temperature •
- Dry Area ٠
- Well ventilated premise •
- Store away from food and feed products •

Transportation:

Pesticide, liquid, Toxic, NOS

Class 6.1